



Iso-Kinetic Source Sampler TMC-572 Limited Edition

Exclusive for 
Product By APEX Instruments

Prices are not include Vat 7%**

199,000-

- ✓ โครง(Frame) โครเมียมชุบสี แข็งแรง
- ✓ ขนาดกระทัดรัด น้ำหนักเบา แข็งแรง ทนทาน
- ✓ ปุ่มแยกจากตัวควบคุม แบบเปิด ระบายความร้อน
- ✓ ตามมาตรฐานการเก็บตัวอย่างในปล่องระบาย USEPA

UP TO
30%
off!



TMC-572 Metering Console "Limited Edition"



โครง(Frame) โครงเมียมชุบสี แข็งแรง

ปั๊มแยกจากตัวควบคุม แบบเปิด ระบายความร้อน

ชุดต่อสายชนิดสแตนเลสสตีล

ตามมาตรฐานการเก็บตัวอย่างในปล่องระบาย USEPA

ผลิตและประกอบโดย Apex instruments, USA

Made in USA

199,000-

XD-502 Metering Console "Internal Pump"

โครง(Frame) ABS น้ำหนักเบา กระทัดรัด แข็งแรง

Diapharm Pump ขนาดเล็ก ติดตั้งภายในชุดควบคุม

ชุดต่อสายชนิดสแตนเลสสตีล

ตามมาตรฐานการเก็บตัวอย่างในปล่องระบาย USEPA

ระบบแสดงผลแบบตัวเลข Digital

โหลดข้อมูลผ่าน USB/Wifi

285,000-



XD-502 Metering Console "External Pump"

โครง(Frame) ABS น้ำหนักเบา แข็งแรง

Pump แยกจากชุดควบคุมแบบ Diapharm Pump/ ระบบน้ำมัน

ชุดต่อสายชนิดสแตนเลสสตีล


ตามมาตรฐานการเก็บตัวอย่างในปล่องระบาย USEPA

ระบบแสดงผลและควบคุมอุณหภูมิแบบดิจิทัล

275,000-




Accessory Compact Kit



Schematic of U.S. EPA Method 5 Compact Sampling Train

Part Number	Detail	Quantity
SFA-82HV	82-mm Stainless Steel Unheated Filter Assembly	1
UA-3J-C13	ADAPTR, POWER, U-CORD	1
USL-15-QST	15 foot Unheated Sample Line	1
PS-6H-C14V	Probe Sheath, 6 ft with Tube Heater, 220V	1
PL-6S	Probe Liner, 6 ft, SS, 5/8" OD with #28 Grooved Ball	1
TS10-035S	316 SS TUBING, 5/8 X .035 WL, SMLS, prices/foot	6
NS-SET	NOZZLE, SET OF 7, SS SIZES SS 4,6,8,10,12,14,16. INCLUDES CASE	1
US-30-10	U-Cord, Split, 30 ft, 1/4"QC,	1
SB-3	Impinger Box, Model 100, Holds 4 Impingers	1
GA-109-12	Strain relief. Inside diameter 1 inch.	1
GA-100	Sample Case Adapter with 1/2" SS Male QC	1
GN-9AO	Greenburg-Smith Impinger (with Orifice), Unground	1
GN-11	Mod Greenburg-Smith Impinger (Plain), Unground	3
GN-9A	U-TUBE, #28 UNGND SOCKETS	3
BS28WS	CLAMP, BALL JNT #28, SS, SCREW	12

Accessory Heated box



Schematic of Method 5 Flexible Sampling Train

Part Number	Detail	Quantity
SB-2M-C13V	Miniature Heated Filter Box, Model 50 (220V)	1
SBR-10	10" Riser for SB-2M, Impinger Box Adapter	1
GNFA-3	3" Filter Assembly	1
GN-1	Cyclone	1
GA-28B10	ADAPTR, 28MM BALL-5/8TU, SS	1
USL-15-SST	15 foot Unheated Sample Line #28 socket elbow fitting both end	1
GA-107-9	Strain relief. Inside diameter is 3/8-inch.	1